

## UNITED STATES DEPARTMENT OF COMMERCE Patent and Trademark Office

Address: COMMISSIONER OF PATENTS AND TRADEMARKS

Washington, D.C. 20231

	APPLICATION NO.	FILING DATE	FIRST NAM	IED INVENTOR		ATTORNEY DOCKET NO.
	08/886,625	07/01/97	SHENOY		N	SNSY-A1996-04
Γ	— WAGNER MURABITO & HAO TWO NORTH MARKET STREET		MM91/082	s 7		EXAMINER
					GARBOWSKI,L	
	THIRD FLOOR	HKKEI SIREE	<u>- 1</u>		ART UNIT	PAPER NUMBER
	SAN JOSE CA				2825	17
					DATE MAILED	•
						08/28/01

Please find below and/or attached an Office communication concerning this application or proceeding.

**Commissioner of Patents and Trademarks** 

## Advisory Action

Application No.	Applicant(s)
08/886,625	SHENOY ET AL.
Examiner	Art Unit
Leigh M. Garbowski	2825

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

THE REPLY FILED 16 August 2001 FAILS TO PLACE THIS APPLICATION IN CONDITION FOR ALLOWANCE. Therefore, further action by the applicant is required to avoid abandonment of this application. A proper reply to a final rejection under 37 CFR 1.113 may only be either: (1) a timely filed amendment which places the application in condition for allowance; (2) a timely filed Notice of Appeal (with appeal fee); or (3) a timely filed Request for Continued Examination (RCE) in compliance with 37 CFR 1.114.

706.07 (f)), the period for ate of the final rejection, ONTHS from the
CFR 1.136(a) and the appropriate extension fee on tof the fee. The appropriate extension fee under y set in the final Office action; or (2) as set forth in inal rejection, even if timely filed, may reduce any
the period set forth in ssal of the appeal.
a Notice of Appeal and Appeal Brief
arch. (see NOTE below);
y materially reducing or simplifying the
er of finally rejected claims.
in a separate, timely filed amendment
n considered but does NOT place the
DLELY to issues which were newly
i written explanation, if any):
as not been approved by the Examiner.
40(s) M. J. S. O
MATTHEW SMITH
SUPERVISORY PATENT EXAMINER TECHNOLOGY CENTER 2800

